QUERY CONTROL FORM			RTIS USE ONLY		
Application No. 10644583	Prepared by	CA	Tracking Number	06003309	
Examiner-GAU Kindreel-2172	Date	10/4/07	Week Date	8/30/04	
	No. of queries	1			

JACKET					
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449		
b. Applicant(s)	g. Disclaimer	I. Print Fig.	q. PTOL-85b		
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract		
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs		
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other		

SPECIFICATION	MESSAGE PTO 1449: Nease whall line through
a. Page Missing	
b. Text Continuity	Citation dated 8-2053. Copy provided
c. Holes through Data	lor reterence
d. Other Missing Text	
e. Illegible Text	
f. Duplicate Text	
g. Brief Description	
h. Sequence Listing	
i. Appendix	7
j. Amendments	Thank You
k. Other	
CLAIMS	
a. Claim(s) Missing	
b. Improper Dependency	
c. Duplicate Numbers	
d. Incorrect Numbering	initials CA
e. Index Disagrees	RESPONSE
f. Punctuation	
g. Amendments	
h. Bracketing	
i. Missing Text	
j. Duplicate Text	
k. Other	
	initials

Form PTO-1449 U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Attorney Docket No. STL920000107US2		Serial No. Unknown		
		Applicant: Dessloch et al.				
			Filing Date: 08/20/2003		Group Art Unit: Unknown	
		U.S. PATE	ALDOGRAM SE			
Examiner Initial	Document Number	Date	Name	Class	Sub-class	Filing Date
	5,729,739	3/17/1998	Cantin et al.	395	614	12/8/1995
	5,765,161	6/9/1998	Blackman et al.	707	103	10/25/1996
	5,794,247	8/11/1998	Blackman et al.	707	103	10/25/1996
	5,426,747	6/20/1995	Weinreb et al.	395	400	3/22/1991
	5,627,979	5/6/1997	Chang et al.	395	335	7/18/1994
	6,061,515	5/9/2000	Chang et al.	395	702	5/30/1997
		OREIGN PA	PENTE DOCUMENT	S		
	Document	Date	Country	Class	Sub-class	Translation Yes/No
	EP0690375A2	1/3/1996	ЕРО	G06F 9	44	No
	JP3138734A	5/2/1991	Japan	G06F 1	5 40	No
	OTHER DOCUMEN	FTS (Including	Author, Title, Daie,	Pertinent/	Pages, Etc.)	
				•		
EVANDE			DATE CONSIDE	O PT		
EXAMINEI EXAMINER:			tion is in conformance wi	ith MPEP 60		